



SAFETY DATA SHEET

ULTIMA PLUS Gloss Oil Enamel

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Supplier :	Harris Group of Companies Wildey, St. Michael Barbados, BB 14006 Tel: 246-429-4840	
Product Code and Name:	13/0435 Ultima Plus Gloss Oil Enamel 13/2535 Ultima Plus Gloss Oil Enamel	
Manufacturer:	Harris Group of Companies Wildey, St. Michael, Barbados, BB14006	
General Information:	Technical Department Harris Paints Barbados (2003) Limited	Tel: (246) 429-4840 Fax: (246) 436-9544 E-Mail: technical@harrispaintsonline.com
Product Use:	Interior/Exterior Paints	
Date of Preparation:	January 14, 2016	Revision#: 2

SECTION 2: HAZARDOUS IDENTIFICATION

GHS Classification	Classification Categories
Flammable Liquid	Category 4:
Acute Toxicity	
Oral	Category 5
Dermal	Category 5
Skin corrosion/Irritation	Category 3: Mild Irritant
Eye damage/ Eye irritation	Category 2B

Symbols: Exclamation mark	Signal word: Warning
<p>Hazard Statement WARNING! Combustible liquid May be harmful if swallowed May be harmful in contact with skin for prolonged or repeat periods May be harmful with prolonged or repeat inhalation Cause mild skin irritation to compromised skin Cause eye irritation May be harmful if swallowed and enters airways May cause damage to skin, eyes, respiratory tract, lungs, liver, kidneys and CNS through prolonged or repeated exposure due to inappropriate use Harmful to aquatic life</p>	<p>Precautionary Statement May be harmful in contact with skin, inhalation, or ingestion for prolonged periods. Keep out of reach of children</p> <ol style="list-style-type: none"> 1. Keep away from heat, open flames and hot surfaces. No smoking 2. Do not eat or drink when using this product. 3. Wear protective gloves, eye/face protection and long sleeved clothing to avoid skin contact, if necessary. 4. Avoid breathing dust, mist, vapours or spray. 5. Use in a well ventilated area. 6. Wash hands with soap and water thoroughly after handling. 7. Avoid release to the environment.



SAFETY DATA SHEET

ULTIMA PLUS Gloss Oil Enamel

--	--

SECTION 3: HAZARDOUS COMPOSITION OF INGREDIENTS AND INFORMATION

INGREDIENTS NAMES			COMPOSITION % (Wt /Gal.)				
Common Name	Chemical Name	CAS No.	*.P	*.W	*.I	*.D	*.A
Rule 66 Mineral Spirits, Naphtha	Medium Aliphatic Hydrocarbon	64742-88-7	7.70-9.00	7.70-9.00	8.76-10.2	9.00-10.5	16.6-19.4
Microbiocide	N/A Microbiocides Mixture	Mixture	0.236 (<0.021)	0.248 (<0.022)	0.244 (<0.022)	0.261 (<0.024)	0.287 (<0.026)
Titanium Dioxide	Titanium Dioxide	13463-67-7	15.3-18.7	15.7-18.7	7.80-9.60	1.87-2.30	-
Zinc Oxide	Zinc Oxide	1314-13-2	0.48	0.48	0.54	0.56	-
Talc	Magnesium Silicate	1343-88-0	-	-	>1.60	>6.56	-
Mineral Spirits, Stoddard Solvent	Aliphatic Hydrocarbon	8052-41-3	19.0	19.0	15.0	19.0	15.0
Propylene glycol	1,2-Propylene glycol	57-55-6	3.80	3.80	4.30	4.40	-
Limestone	Calcium Carbonate	1317-65-3	-	-	-	-	0.12

SECTION 4: FIRST-AID MEASURES

Skin Contact:	If on skin, wash with plenty of water and soap. Take off contaminated clothing and wash before re-use. If any product remains, gently rub petroleum jelly, vegetable or mineral/baby oil onto skin. Repeat applications may be needed. If skin irritation or rash occurs, get medical attention.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Have trained person give oxygen if necessary. If necessary restore and support continued breathing and get emergency medical attention. Get medical help for any breathing difficulty. Remove to fresh air if inhalation caused eye watering, headaches, dizziness or other discomfort. Get medical attention if discomfort or irritation persists.
Eye Contact:	Immediately flush cautiously with large amounts of water, especially under lids for at least 15 minutes. Remove contacts lenses, if present and easy to do so and continue rinsing. If irritation or other effects persist, obtain medical treatment.
Ingestion:	Rinse mouth. If swallowed, do not induce vomiting. If victim is conscious give at least 2 glasses of water. Obtain medical treatment immediately if feeling unwell.

SECTION 5: FIRE-FIGHTING MEASURES

In case of fire use and be aware of the following

Suitable Extinguishing Media:	Dry chemical, foam or carbon dioxide. Water should only be used to cool fire-exposed containers, structures and to protect personnel or to dilute and flush away from sources of ignition.
Unusual Fire and Explosion Hazards:	Closed containers may explode when exposed to extreme heat or fire. Vapours may concentrate in confined areas. Vapours may be heavier than air and may travel along distances to a source of ignition and flash back.



SAFETY DATA SHEET

ULTIMA PLUS Gloss Oil Enamel

<p>Fire Fighting Procedure</p>	<p>Wear full protective clothing such as heat insulating clothes and gloves, eye and face protection and respiratory protection. Self-contained breathing apparatus should be used when entering the hot zone. Remove any combustible material from the surrounding area where safe to do so. Start fire fighting from an up wind/wind ward direction. Only use the specified extinguishing media.</p>
<p>Products of Combustion:</p>	<p>Carbon monoxide, carbon dioxide, monomer vapours, toxic gases.</p>

SECTION 6: ACCIDENTAL RELEASE MEASURES	
General Measures:	<p>Comply with all applicable health and environmental regulations. Evacuate all unnecessary personnel upwind/windward. Eliminate all sources of ignition such as heat, sparks, open flames and other combustible materials. Cordon area from accidental entry. Complete personal protective equipment must be worn during clean-up.</p>
Small Spills and Leaks:	<p>Use non-combustible, absorbent material such as sand, vermiculite and place into containers to dispose of properly.</p>
Large Spills and Leaks:	<p>Shut off leak if safe to do so. Dike and contain spill far ahead of liquid for later disposal. Pump to storage or salvage vessel (if quantity allows). Use absorbent material to collect excess residue. Keep salvageable material and rinse water out of sewers and water course.</p>

SECTION 7: HANDLING AND STORAGE	
General Precautions:	<p>Do not use this product other than for the purpose specified by the manufacturer or Supplier. Keep out of reach of children. N.B.: Keep running water sources on site in cases of emergency and for after work cleaning.</p>
Handling:	<p>Use only with adequate ventilation. Do not take internally. Avoid contact with skin and eyes and breathing of vapours. Wash hands thoroughly after handling, especially before eating or smoking. Avoid conditions which result in formation of inhalable particles such as spraying or sanding painted surfaces. If such conditions cannot be avoided, use appropriate respiratory protection as directed under Section 8 below.</p>
Storage:	<p>Smaller quantities should be stored in metal cans if removing from the original containers from manufacturer or supplier. Keep containers tightly closed and upright when not in use. Empty containers may contain residues. Store in a well-ventilated place. Keep cool</p>



SAFETY DATA SHEET

ULTIMA PLUS Gloss Oil Enamel

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
Common Name	CAS No.	EINECS	ACGHI-TLV 8-Hour TWA	OSHA-PEL 8-Hour TWA
Rule 66 Mineral Spirits, Naphtha	64742-88-7	265-191-7	5 mg/m ³	10 mg/m ³
Microbiocide	Mixture	Mixture	Not est.	Not est.
Titanium Dioxide	13463-67-7	236-675-5	10 mg/m ³	10 mg/m ³
Zinc Oxide	1314-13-2	215-222-5	2 mg/m ³	Total dust 15 mg/m ³
Talc	14807-96-6	238-877-9	2 mg/m ³	Not est.
Mineral Spirits, Stoddard Solvent	8052-41-3	232-489-3	100 ppm	500 ppm
Propylene Glycol	57-55-6	200-338-0	Not est.	Not est.
Limestone	1317-65-3	215-279-6	10 mg/m ³	15 mg/m ³
Personal Protection Equipment	<p>Skin If risk assessment deems necessary, impervious clothing should be worn to eliminate possible skin contact and irritation. Such as chemical resistant coveralls or neoprene apron if appropriate. If necessary, impervious gloves such as rubber, or nitrile, gloves should be worn.</p> <p>Respiratory Use in a well ventilated area or provide local exhaust or ventilation to reduce vapours build up. Use of an appropriate NIOSH/MSHA approved face piece respirator outfitted with organic vapour cartridges and paint spray (Dust / Mist) prefilters for prolonged use in not-well ventilated areas.</p> <p>Eyes Chemical resistant safety goggles or glasses recommended especially for over head work. Wear face shield to protect facial skin also.</p>			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Physical State and Appearance:	Liquid	Odour:	Slight
pH:	Not available	Colour:	Creamy-White
Soluble / Insoluble:	Insoluble in water	Viscosity:	76-84 KU
Melting / Freezing Point:	Not available	Solubility:	Not available
Boiling / Condensation Point:	Not available	Critical Temperatures:	Not available
Specific Gravity:	0.94 – 1.20	Volatility:	29 – 37% by weight
Vapour Density:	Not available	Vapour Pressure:	Not available
Evaporation Rate:	Not available		

SECTION 10: STABILITY AND REACTIVITY	
Stability and reactivity:	This product is stable under normal conditions. See Section 5 Fire Fighting Measures.
Conditions to avoid:	Elevated temperatures, contact with oxidising agents, sparks, freezing, open flame, extremes in temperature.
Materials to avoid:	Oxidisers, acids, nitric acid, hydrofluoric acid.

SECTION 11: TOXICOLOGICAL INFORMATION	
Possible Effects to Overexposure	Inhalation:- Irritation of respiratory tract. Prolonged inhalation may lead to mucous membrane irritation, dizziness and/or light-headedness, headache, nausea, coughing, sneezing, central nervous system depression, kidney damage.



SAFETY DATA SHEET

ULTIMA PLUS Gloss Oil Enamel

Skin contact:-	Irritation of skin. Prolonged or repeated contact can cause dermatitis, defatting. Possible sensitization to skin. Skin contact may result in dermal absorption of component(s) of this product which may cause headache, nausea, central nervous system depression.
Eye contact:-	Irritation of eyes. Prolonged or repeated contact may cause conjunctivitis, tearing of eyes, and redness of eyes.
Ingestion:-	Ingestion may cause dizziness and /or light headedness, headache, vomiting, gastro-intestinal disturbances, severe abdominal pain, apathy, central nervous system depression, respiratory problems, intoxication, kidney damage, pulmonary edema, loss of consciousness, acute poisoning, respiratory failure, cardiac failure, brain damage.
Supplemental Health Information:	No additional effects are anticipated besides those mentioned in Section 5 Fire Fighting Measures. This product has not been listed by IARC, OSHA, ACGIH, DSL, TSCA but contains ingredients which are toxic by ingestion, inhalation and through the skin. Chemicals in their non-reportable form could be encountered when stripping or release of by-products may build-up in the headspace of the containers.
Carcinogenicity	Titanium dioxide has been listed by the IARC as a possible carcinogen to humans based on inadequate evidence in humans and sufficient evidence of carcinogenicity in experimental animals. Microbiocides are also listed as suspected of causing cancer under EEC.

SECTION 12: ECOLOGICAL INFORMATION

General Note: There is no data available on the products but contains ingredients known to have toxic and very toxic effects to the environment and even with long lasting effects.
Do not allow undiluted product or large quantities of products to reach ground water, water courses or sewage systems.

SECTION 13: DISPOSAL CONSIDERATION

Dispose of in accordance with all applicable regulations ensuring no contamination of surrounding environment.

SECTION 14: TRANSPORTATION INFORMATION

This product is to be shipped as consumer commodity packaging but it is the responsibility of the shipper to ensure full compliance with the applicable regulations. This product is not controlled or regulated under DOT, IATA.

UN ID No.: 1263
DOT: Classification: Not regulated
IATA: Classification: Not regulated

SECTION 15: REGULATORY INFORMATION



SAFETY DATA SHEET

ULTIMA PLUS Gloss Oil Enamel

Products	As of the date of this SDS, this product was not being regulated or controlled. It also contains other hazardous ingredients below the required reportable limits	
Product Components:		
DSCL (EEC):	Rule 66 Mineral Spirits	Xn – Harmful, R65
	Microbiocide	T-Toxic; Xn-Harmful; Xi-Sensitising; N-Dangerous for the environment; R20/21, R40, R43, R46, R48/22, R51/53, R60, R61, N-Dangerous for the environment, R50, R51. R52, R53
	Zinc Oxide	R22
	Talc	R10, R36, R38
	Stoddard Solvent	R21, R22
	Propylene glycol	
IARC:	Titanium Dioxide	Group 2B – Possible carcinogen to humans
SARA Title III Section 311/312:		
	Rule 66 Mineral Spirits	Immediate (Acute) Health and Fire Hazard
	Titanium dioxide	Immediate (Acute) Health Hazard
	Stoddard Solvent	Immediate (Acute) Health and Fire Hazard
	Propylene glycol	Immediate (Acute) Health Hazard
	Limestone	Immediate (Acute) Health Hazard
Section 313:	Stoddard Solvent	Listed
WHMIS:		
	Rule 66 Mineral Spirits	Class B, Div 3: Combustible Liquid
	Titanium Dioxide	Class D, Div 2, Subdiv A: Material causing other effects (VERY TOXIC)
	Talc	Class D, Div 2, Subdiv B: Materials causing other toxic effects (TOXIC)
	Limestone	Class D, Div 2, Subdiv B: Materials causing other toxic effects (TOXC)
	Stoddard Solvent	Class B, Div 3: Combustible Liquid and Class D, Div 2, Subdiv B: Material causing other toxic effects (TOXIC)
DSL:	Rule 66 Mineral Spirits	Listed
	Titanium dioxide	Listed
	Zinc Oxide	Listed
	Propylene Glycol	Listed
	Limestone	Listed
	Talc	Listed
	Stoddard Solvent	Listed
TSCA:	Rule 66 Mineral Spirits	Listed
	Titanium dioxide	Listed
	Zinc Oxide	Listed
	Propylene glycol	Listed
	Limestone	Listed
	Talc	Listed



SAFETY DATA SHEET

ULTIMA PLUS Gloss Oil Enamel

SECTION 16: OTHER INFORMATION

Risk Phrase used in Section 15 above

- R10: Flammable
- R20/21: Also harmful by inhalation and in contact with skin
- R21: Harmful in contact with skin
- R22: Harmful if swallowed
- R36: Irritating to eyes
- R38: Irritating to skin
- R40: Limited evidence of carcinogenic effects
- R43: May cause sensitisation by skin contact
- R46: May cause heritable genetic damage
- R48/22: Also harmful: danger of serious damage to health by prolonged exposure if swallowed
- R50: Very toxic to aquatic organisms
- R51: Toxic to aquatic organisms
- R52: Harmful to aquatic organisms
- R53: May cause long-term adverse effects in the aquatic environment
- R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R60: May impair fertility
- R61: May cause harm to the unborn child
- R65: Harmful: may cause lung damage if swallowed.

The information contained herein is based on data available at the time of preparation of this data sheet and which is believed to be reliable. However, it is the users' responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is given in good faith, but no warranty, expressed or implied is made.

The information found in this SDS complies with GHS, ISO, for Canada, the USA and the European Union.